

## Batteries in Sunny Island Systems

### List of Approved Batteries



Die Sunny Island product family (SI3.0M, SI4.4M, SI6.0H and SI8.0H) is equipped with an integrated battery management for lead-acid batteries of type FLA and VRLA.

It is also possible to connect an external battery management that uses different battery technologies.

#### **i** Using lead-acid batteries

The battery management integrated in the Sunny Island ensures that the lead-acid battery is charged carefully, deep discharge is avoided and the state of charge of the battery is determined. Prerequisite for optimum operation of the system and, in particular, for gentle treatment of the lead-acid battery is the adjustment of the parameters of the lead-acid battery to the values of each respective application recommended by the battery manufacturer (see operation and installation manual).

#### **i** Using lithium-ion and hybrid (sodium)-ion batteries

All lithium-ion and hybrid (sodium)-ion batteries supply a defined nominal current. Please pay attention to the battery manufacturer's recommendation regarding the suitable dimensioning of the battery (battery type, circuitry and number of battery modules) in order to achieve the nominal and overload currents of the various Sunny Island system constellations and applications stated in the datasheet. The full functionality for the PV storage system can only be guaranteed if the battery capacity (battery capacity and battery currents) is matched to the Sunny Island system constellation used.

The lithium-ion batteries of the following manufacturers are approved for the SMA Flexible Storage System with the Sunny Island 3.0M / 4.4M / 6.0H / 8.0H:

Manufacturer	Type	Firmware	Self-consumption systems			Battery backup systems			Off-Grid systems			Certification / Proof of conformity according to the safety guidelines
			1~	3~	Comment	1~	3~	Comment	1~	3~	Comment	
ADS-TEC	StoraXe® Home & Small Business SRS0009		✓	-	-	✓	-	-	-	-	-	Safety guidelines UNT 38.3
Akasol	neeoQube		✓	-	-	-	-	-	-	-	-	Not specified
	neeoRack		✓	✓	-	✓	✓	Only for Sunny Island 3.0M and 4.4M	✓	✓	Only for Sunny Island 3.0M and 4.4M	Not specified
Axitec	AXITEC AXIstorage Li 9S	2.06	✓	✓	-	✓	✓	-	-	-	-	Not specified
BMZ	BMZ ESS 3.0	2.04	✓	✓	-	✓	✓	-	✓	✓	-	Not specified
	BMZ ESS 7.0	2.04	✓	✓	-	✓	✓	-	✓	✓	-	Not specified
	BMZ ESS 9.0	2.06	✓	✓	-	✓	✓	-	-	-	-	Not specified
BYD	B-BOX	2.7	✓	✓	-	✓	✓	-	✓	✓	-	Safety guidelines TÜV Süd
Deutsche ACCUmotive	Mercedes-Benz Energiespeicher Home	29.30 - 5.X	✓	-	Recommended for Sunny Island 3.0M and 4.4M	✓	-	Only for Sunny Island 3.0M and 4.4M	-	-	-	Safety guidelines UNT 38.3
GNB	Sonnenschein lithium	2.06	✓	✓	-	✓	✓	-	-	-	-	Not specified
Hoppecke	sun   powerpack premium	1.1.0 r11767	✓	✓	-	✓	✓	-	✓	✓	-	Not specified
IBC	SolStore XX Li	2.06	✓	✓	-	✓	✓	-	-	-	-	Not specified
Leclanché	Apollion Cube	2.06	✓	✓	-	✓	✓	-	-	-	-	Not specified
	TiBox 3.2		✓	-	Recommended for Sunny Island 3.0M	-	-	-	-	-	-	Not specified
LG Chem	RESU 5.0		✓	-	-	-	-	-	-	-	-	Not specified
	RESU 6.4 (Plus Extension Pack)		✓	-	Recommended for Sunny Island 3.0M and 4.4M	✓	-	Only for Sunny Island 3.0M and 4.4M	-	-	-	Not specified
	RESU 3.3		✓	-	Only for Sunny Island 3.0M	-	-	-	-	-	-	Not specified
	RESU 6.5		✓	-	Only for Sunny Island 3.0M and 4.4M	✓	-	Only for Sunny Island 3.0M	-	-	-	Not specified
	RESU 10		✓	-	Only for Sunny Island 3.0M and 4.4M	✓	-	Only for Sunny Island 3.0M and 4.4M	-	-	-	Not specified
	RESU Plus Extension Kit		✓	-	Only for Sunny Island 3.0M and 4.4M	✓	-	Only for Sunny Island 3.0M and 4.4M	-	-	-	Not specified
Sony	Controller UJ1004C Module FORTELION UJ1001M		✓	✓	-	✓	✓	-	✓	✓	-	Not specified
Tevolt	Tevolt Lithium-Ion storage Li10	3.17	✓	✓	-	✓	✓	-	✓	✓	-	Not specified
	Tevolt Lithium-Ion storage Li 20 and higher	1.11	✓	✓	-	✓	✓	-	✓	✓	-	Not specified
	TS-Series	1.06	✓	✓	-	✓	✓	-	✓	✓	-	Not specified

The hybrid (sodium)-ion batteries of the following manufacturers are approved for the SMA Flexible Storage System and the Sunny Island 3.0M / 4.4M / 6.0H / 8.0H:

Manufacturer	Type	Firmware	Self-consumption systems			Battery backup systems			Off-Grid systems			Certification / Proof of conformity according to the safety guidelines
			1~	3~	Comment	1~	3~	Comment	1~	3~	Comment	
Aquion Energy*	Aspen 48S / 48M		✓	✓	-	✓	✓	-	✓	✓	-	Not specified

\* If services are required, contact Aquion Energy.

The lithium-ion batteries of the following manufacturers are approved for the Sunny Island 4548-US / 6048-US:

Manufacturer	Type	Firmware	Self-consumption systems			Battery backup systems			Off-Grid systems			Certification / Proof of conformity according to the safety guidelines
			1~	3~	Comment	1~	3~	Comment	1~	3~	Comment	
Axitec	AXITEC AXIstorage Li 9S	2.06	✓	✓	-	✓	✓	-	-	-	-	Not specified
BMZ	BMZ ESS 3.0	2.04	✓	✓	Always check UL compatibility with manufacturer	✓	✓	Always check UL compatibility with manufacturer	✓	✓	Always check UL compatibility with manufacturer	Not specified
	BMZ ESS 7.0	2.04	✓	✓	Always check UL compatibility with manufacturer	✓	✓	Always check UL compatibility with manufacturer	✓	✓	Always check UL compatibility with manufacturer	Not specified
	BMZ ESS 9.0	2.06	✓	✓	Always check UL compatibility with manufacturer	✓	✓	Always check UL compatibility with manufacturer	-	-	Always check UL compatibility with manufacturer	Not specified
BYD	B-BOX	2.7	✓	✓	-	✓	✓	-	✓	✓	-	Safety guidelines TÜV Süd
Leclanché	Apollion Cube	2.06	✓	✓	-	✓	✓	-	-	-	-	Not specified
Tevolt	Tevolt lithium-ion storage	3.17	✓	✓	Always check UL compatibility with manufacturer	✓	✓	Always check UL compatibility with manufacturer	✓	✓	Always check UL compatibility with manufacturer	Not specified
	TS-Series	1.06	✓	✓	-	✓	✓	-	✓	✓	-	Not specified

The hybrid (sodium)-ion batteries of the following manufacturers are approved for the Sunny Island 4548-US / 6048-US:

Manufacturer	Type	Firmware	Self-consumption systems			Battery backup systems			Off-Grid systems			Certification / Proof of conformity according to the safety guidelines
			1~	3~	Comment	1~	3~	Comment	1~	3~	Comment	
Aquion Energy*	Aspen 48S / 48M		✓	✓	-	✓	✓	-	✓	✓	-	Not specified

\* If services are required, contact Aquion Energy.